

# Bigbelly Sense

Built on Bigbelly's fundamentally better bin, the Sense is a 50-gallon (189 L) capacity bin with built-in LED indicators that provide bin fullness status at a glance - ideal for deployments where collection staff are nearby. The Sense can be deployed standalone or in combination with any other Bigbelly bin type to form a multi-stream kiosk.

With its fully-enclosed Chute disposal interface, the Sense is uniquely equipped to keep waste contained and out of sight. The Sense has an inner bin capacity that is 1.7x greater than a traditional waste bin.

The Sense is equipped with sensors that monitor and indicate fullness level. The Sense is powered by a maintenance free 5-year battery and can be deployed indoors or outdoors.

## Waste Interfaces and Streams

Hopper, Chute, or Open Disposal Interface  
Waste, Single-Stream Recycling, or Compost




Hopper Disposal Interface  
with Foot Pedal

Open Disposal Interface



Chute Disposal Interface  
with Foot Pedal

## Technical Specifications



### Overall Machine Dimensions

- Height: 49.8" (1264 mm)
- Width: 25" (635 mm)
- Depth: 26.8" (681 mm)
- Handle Height (ADA Compliant): 43.1" (1095 mm)
- Weight: 150 lbs (68 kg)
- Shipping Weight: 180 lbs (82 kg)
- Bin Volume (Chute or Open): 50 gal (189 L)
- Bin Volume (Hopper): 32 gal (120 L)
- Bin Dimension (50 gal): 25" x 20" x 32.25" (635 mm x 508 mm x 819 mm)
- Bin Dimension (32 gal): 24" x 20.4" x 21.65" (609 mm x 518 mm x 549 mm)

### Disposal Interface Dimensions

- Chute Opening: 16"W x 5.5"H x 15"D (406 mm x 140 mm x 381 mm)
- Hopper Opening: 16.5"W x 5"H x 8"D (419 mm x 127 mm x 203 mm)
- Open Interface Openings:
  - Waste: 16"W x 6"H (406 mm x 152 mm)
  - Single-Stream: 11"W x 5"H (279 mm x 127 mm)
  - Paper: 11"W x 2"H (279 mm x 51 mm)
  - Bottles and Cans: 5" dia. (127 mm dia.)



## Bigbelly Sense



FULLY ENCLOSED



FULLNESS INDICATOR

# Technical Specifications - Continued

## Bigbelly Sense Features

- Bigbelly's fully-enclosed Chute disposal interface, standard on Sense bins, eliminates visible waste, rat and pest access, and windblown litter.
- Embedded sensors detect fullness level.
- LED indicators on the front of the Sense display readiness to collect status (fullness level), machine status, and error codes.
- The integrated Foot Pedal provides hands-free use.

## Safety Features

- CE marked
- Soft-open Chute response with use of foot pedal
- Collection door automatically locks when closed
- No pinch points, sharp edges or corners

## Durability

- Weather-resistant, UV-stabilized polyester powder-coat finish on all exterior parts
- Electronic components temperature range of -40°F to +185°F (-40°C to +85°C)
- Fully weatherized; in the event of a flood, the bin can withstand up to 36" (915 mm) of water with only minor damage to electronics

## Materials

- RoHS compliant
- Galvanized sheet metal steel interior and exterior construction
- Heavy-duty, recycled plastic side panels for dent and scratch resistance
- Leak-proof interior bin made of low-density polyethylene (LDPE) plastic

## Power and Electronics

- 5-year, maintenance-free, alkaline battery
- Self-powered unit requires no wiring
  - Companion unit powered by hub unit

## Options and Accessories

- Hopper disposal interface and Open disposal interface
- Custom Graphic Wraps, Message Panels, and Stickers
- Wheeled Interior Lift Bin (bar and comb styles)
- Ashtray and Stub-out Plates
- Security Plates
- Odor Mask